

1 Quart Bar Blenders – BB150, BB150S, BB160 and BB160S



WARING
COMMERCIAL®



BB160S



BB150S



BB160



1 Quart Bar Blenders – BB150, BB150S, BB160 and BB160S



Features:

- **Heavy Duty Die-cast Motor Housing** - offers maximum motor protection, quiet operation, and stability while blending.
- **2-Speed Motor** - powerful, commercial motor, and easy, two-speed operation make quick work of perfect fruit smoothies, popular frozen coffee drinks, sauces and more.
- **Exclusive Patented Blade Design** - sharp 4-blade stainless steel cutting assembly is designed to hold up under continual use.
- **User-Replaceable Drive Coupling** - unique metal-reinforced, vulcanized rubber coupling is designed for maximum durability and simple, do-it-yourself replacement. No more service calls. Self-aligning collar extends life of bearings.
- **BB150** - Black baked – enamel finish covers the die-cast motor housing. 48-ounce Blending Jar – Clear polycarbonate is scratch resistant, and offers a great view while blending. Dripless pour spout makes serving quick and clean.
- **BB150S** - Black baked – enamel finish covers the die-cast motor housing. 32-ounce Stainless Steel Container – includes flexible plastic lid and removable cap for adding ingredients. Durable stainless steel for longer wear.
- **BB160** - Durable Chrome plating covers the die-cast motor housing. 48-ounce Blending Jar – Clear polycarbonate is scratch resistant, and offers a great view while blending. Dripless pour spout makes serving quick and clean.
- **BB160S** - Durable Chrome plating covers the die-cast motor housing. 32-ounce Stainless Steel Container – includes flexible plastic lid and removable cap for adding ingredients. Durable stainless steel for longer wear.

Specifications:

Item	Electrical	Listings	Dimensions (H" x W" x D")	Warranty
BB150/BB150S	120 VAC, 50/60 Hz	UL, NSF	16 1/2" x 8" x 7"	1 Year Limited
BC150P/BC150S	120 VAC, 50/60 Hz	UL, CSA		*
BB200P/BB200S	220/240 VAC, 50/60 Hz	UL		*
BB25EP/BB25ES	220/240 VAC, 50/60 Hz	UL, CE		*
BB160/BB160S	120 VAC, 50/60 Hz	UL, NSF		1 Year Limited

**International customers please check with your distributor for warranty information in your country*

Ordering Information:

Description	Catalog #	Std Pkg.	Ship Wt. (Lbs.)	Cubic Feet	UPC Code
Bar blender – 2-speed, black baked enamel base, 48 oz. polycarbonate container with removable blade assembly	BB150	1	7	.62	040072990304
	BB250P				040072991172
	BB25EP				040072991202
	BC150P				040072990700
Bar blender – 2-speed, black baked enamel base, 32 oz. stainless steel container with removable blade assembly	BB150S	1	8	.62	040072990311
	BB250S				040072991165
	BB250ES				040072991196
	BC150S				040072990830
Bar blender – 2-speed, baked chrome base, 48 oz. polycarbonate container with removable blade assembly	BB160	1	8	.62	040072100420
Bar blender – 2-speed, baked chrome base, 32 oz. stainless steel container	BB160S	1	8	.62	040072103117



Waring Commercial • 314 Ella T. Grasso Ave. • Torrington • Connecticut 06790
Tel. (800) 492-7464 Fax (860) 496-9008 www.waringproducts.com

00WA23108
PG-10017

WARING® COMMERCIAL BAR BLENDERS



Margarita Madness®

MMB142

Features

- New heavy-duty 2 speed, 1½ HP motor
- 24,000 RPMs on High
- Great for margaritas, fruit smoothies and other popular frozen drinks
- User replaceable metal reinforced drive coupling
- 48-ounce blending jar
- One-piece cutter blade
- Limited One Year Warranty





Margarita Madness[®]

MMB142




Specifications

Item	Electrical	Listings	Dimensions (H" x W" x D")	Warranty
MMB142	120 VAC, 60 Hz	UL, CUL, NSF	16¼" x 6¼" x 7½"	Limited 1 Year

Ordering Information

Description	Catalog #	Std Pkg.	Ship Wt. (Lbs.)	Cubic Feet	UPC Code
Heavy-duty bar blender with 48-oz. polycarbonate jar	MMB142	1	13.1	.85	040072991110



Waring Commercial • 314 Ella T. Grasso Ave. • Torrington • Connecticut 06790
Tel. (800) 492-7464 • Fax (860) 496-9008 • www.waringproducts.com • ©2006

06WC30117
PG-19104

P202



Citrus press

- Polycarbonate press lever, plastic basin.
- All parts in contact with the citrus fruit can be dismatted without tools, easy maintenance.
- Motor 900 rpm, with thermal security
- Frame: metal fusion, colour "metal gray".

mm	kW	V	kg	m ³
220x310xh340	0,16	230/1	9	0,04

ACID-1



Citrus press with lever

- Stainless steel AISI 304 lever on top.
- All parts in contact with the citrus fruit can be dismatted without tools, easy maintenance.
- Delivered with 1 polycarbonate mug.
- Motor 1300 rpm with thermal security.
- Finishing: orange.

mm	kW	V	kg	m ³
180x180xh360	0,30	230/1	10	0,05

ACID-CHROME



Citrus press with lever

- Stainless steel AISI 304 lever on top.
- All parts in contact with the citrus fruit can be dismatted without tools, easy maintenance.
- Delivered with 1 polycarbonate mug.
- Motor 1300 rpm with thermal security.
- Finishing: chrome.

mm	kW	V	kg	m ³
180x180xh360	0,30	230/1	10	0,05

General characteristics:

Citrus press:

Polycarbonate press lever, plastic basin. All parts in contact with the citrus fruit can be dismantled without tools, easy maintenance. Motor 900 rpm, with thermal security

Milkshaker:

Mug in transparent PVC, shaft and blade in stainless steel, On/of micro switch

Mixer:

Removable polycarbonate mug, capacity 1.5 litres, cover equipped with a hole allowing the filling-up of the mug

Motor 2 velocities, 900/1400 rpm. Blades of the mixer in stainless steel.



G12

Combined group citrus press and mixer

- Frame: metal fusion
- On/off switches, separated.
- Frame colour: metal gray.
- 2 separated motors.



G14

Combined group citrus press, milkshaker and mixer

- Frame: metal fusion
- On/off switches, separated.
- Frame colour: metal gray.
- 3 separated motors.

mm	kW	V	kg	m ³
220x440xh460	0,36	230/1	15	0.09

mm	kW	V	kg	m ³
265x440xh460	0,48	230/1	18	0.11

T1**Mixer with polycarbonate mug**

- Capacity of the mug 1.5 litres, cover equipped with a hole allowing the filling-up of the mug.
- Removable mug for easy maintenance.
- Blades of the mixer in stainless steel.
- Motor 2 velocities, 900/1400 rpm.
- Frame: metal fusion, colour "metal gray".

mm	kW	V	kg	m ³
185x185xh490	0,20	230/1	5	0,05

F6S**Milkshaker**

- Mug in transparent PVC (0.8 Lit).
- Shaft and blade in stainless steel.
- On/of micro switch.
- Frame: metal fusion, colour "metal gray".

mm	kW	V	kg	m ³
200x200xh500	0,12	230/1	4	0,04

F6D**Double milkshaker**

- Mug in transparent PVC (0.8 Lit).
- Shaft and blade in stainless steel.
- On/of micro switch.
- 2 separated motors
- Frame: metal fusion, colour "metal gray".

mm	kW	V	kg	m ³
270x270xh500	0,24	230/1	8	0,06

ASD/50



Presse orange automatique

- Production: 20/25 oranges (85 mm) by minutes.
- Loading ramp and tray collecting delivered of series
- Realization out of materials "food" Which have no deterioration in contact with the orange juice.
- Built for an easy, external and interior maintenance
- Automatic stop

mm	kW	V	kg	m ³
460x330xh735	0,15	230/1	34	0,14

T2



Mixer with glass mug

- Capacity of the mug 2.2 litres, cover equipped with a hole allowing the filling-up of the mug
- Removable mug for easy maintenance.
- Blades of the mixer in stainless steel.
- Motor 2 velocities, 900/1400 rpm.
- Frame: metal fusion, colour "metal gray".

mm	kW	V	kg	m ³
185x185xh490	0,20	230/1	6	0,05

MIX-5



Mixer with glass mug "MAXI"

- Capacity of the mug 2.2 litres, cover equipped with a hole allowing the filling-up of the mug
- Removable mug for easy maintenance.
- Blades of the mixer in stainless steel.
- Motor 2 velocities, 900/1400 rpm.
- Frame: metal fusion, colour "metal gray".

mm	kW	V	kg	m ³
230x230xh530	0,8	230/1	11	0,07