

Working tables on cupboard

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Adjustable stainless steel legs



600 mm

		mm	kW	V	kg	m3
	TA106/M	1000x600xh850/870	-	-	63	0,80
	TA126/M	1200x600xh850/870	-	-	77	0,95
	TA146/M	1400x600xh850/870	-	-	85	1,12
	TA166/M	1600x600xh850/870	-	-	96	1,20

Working tables on heating cupboard

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Ventilated heating with temperature regulation through thermostat
- Adjustable stainless steel legs



600 mm


		mm	kW	V	kg	m3
	TE106/M	1000x600xh850/870	1,45	230/1	85	0,90
	TE126/M	1200x600xh850/870	1,45	230/1	108	1,20
	TE146/M	1400x600xh850/870	2,5	230/1	131	1,45



700 mm

Working tables on cupboard

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Adjustable stainless steel legs

		mm	kW	V	kg	m3
	TA67/M	600x700xh850/870	-	-	48	0,53
	TA87/M	800x700xh850/870	-	-	57	0,69

700 mm



Working tables on cupboard

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Adjustable stainless steel legs


		mm	kW	V	kg	m3
	TA107/M	1000x700xh850/870	-	-	67	0,84
	TA127/M	1200x700xh850/870	-	-	85	1
	TA167/M	1600x700xh850/870	-	-	110	1,30
	TA207/M	2000x700xh850/870	-	-	135	1,60
	TA247/M	2400x700xh850/870	-	-	148	1,90

700 mm

Working tables on cupboard "pass through"

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors at both sides with immersed handles
- Adjustable stainless steel legs




	mm	kW	V	kg	m3
	TAP127/M 1200x700xh850/870	-	-	88	1
	TAP167/M 1600x700xh850/870	-	-	115	1,30
	TAP207/M 2000x700xh850/870	-	-	139	1,60

700 mm

Working tables on cupboard

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles and 1 drawer bloc with 3 drawers GN1/1 on conductors
- Adjustable stainless steel legs



	mm	kW	V	kg	m3
	TA167CD/M 1600x700xh850/870	-	-	165	1,30
	TA207CD/M 2000x700xh850/870	-	-	189	1,60



700 mm

Working tables on heating cupboard

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Ventilated heating with temperature regulation through thermostat

		mm	kW	V	kg	m3
	TE127/M	1200x700xh850/870	1,45	230/1	95	1
	TE167/M	1600x700xh850/870	2,5	230/1	120	1,30
	TE207/M	2000x700xh850/870	2,5	230/1	145	1,60



700 mm

Working tables on heating cupboard "pass through"

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors at both sides with immersed handles
- Ventilated heating with temperature regulation through thermostat
- Adjustable stainless steel legs

		mm	kW	V	kg	m3
	TEP127/M	1200x700xh850/870	2,4	230/1	98	1
	TEP167/M	1600x700xh850/870	2,4	230/1	125	1,30
	TEP207/M	2000x700xh850/870	2,4	230/1	149	1,60

700 mm

Working tables on cupboard with angle 90°

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors or swinging doors with immersed handles
- Adjustable stainless steel legs




		mm	kW	V	kg	m3
	TAN100/M	1000x1000xh850/870	-	-	70	1,15

Working tables on cupboard with drawers

- Manufactured in stainless steel 18/10 AISI 304.
- Work top strengthened and soundproof.
- Drawers GN1/1 on conductors
- Adjustable stainless steel legs



		mm	kW	V	kg	m3
	TACS67/M	600x700xh850/870	-	-	78	0,53
	TACS87/M	800x700xh850/870	-	-	130	0,69

ATG0136/M

- Lock for cupboards





Open wall cupboards

- Manufactured in stainless steel 18/10 AISI 304.
- Strengthened base intermediary shelf, removable and adjustable in height

	mm	kW	V	kg	m3
PA60/E	600x400xh600	-	-	18	0,25
PA80/E	800x400xh600	-	-	22	0,30
PA100/E	1000x400xh600	-	-	27	0,38
PA120/E	1200x400xh600	-	-	30	0,45
PA140/E	1400x400xh600	-	-	34	0,54
PA150/E	1500x400xh600	-	-	37	0,59
PA160/E	1600x400xh600	-	-	40	0,64
PA180/E	1800x400xh600	-	-	44	0,68
PA200/E	2000x400xh600	-	-	48	0,74



Wall cupboards

- Manufactured in stainless steel 18/10 AISI 304.
- Strengthened base intermediary shelf, removable and adjustable in height




	mm	kW	V	kg	m3
PSC80/E	800x400xh600	-	-	25	0,30



Wall cupboards

- Manufactured in stainless steel 18/10 AISI 304.
- Strengthened base intermediary shelf, removable and adjustable in height



		mm	kW	V	kg	m3
	PSC100/E	1000x400xh600	-	-	28	0,38
	PSC120/E	1200x400xh600	-	-	36	0,45
	PSC140/E	1400x400xh600	-	-	43	0,54
	PSC150/E	1500x400xh600	-	-	47	0,59
	PSC160/E	1600x400xh600	-	-	50	0,64
	PSC180/E	1800x400xh600	-	-	58	0,68
	PSC200/E	2000x400xh600	-	-	65	0,74

Wall cupboards angle 90°

- Manufactured in stainless steel 18/10 AISI 304.
- Strengthened base intermediary shelf, removable and adjustable in height



	mm	kW	V	kg	m3	
	PSCA70/E	700x700xh600	-	-	30	0,46



600 mm

Storage cupboards

- Manufactured in stainless steel 18/10 AISI 304.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Adjustable stainless steel legs

	mm	kW	V	kg	m3
AR126V1/M	1200x600xh2000	-	-	138	1,98
AR166V1/M	1600x600xh2000	-	-	150	2,70
AR206V1/M	2000x600xh2000	-	-	170	3,35



700 mm

Storage cupboards

- Manufactured in stainless steel 18/10 AISI 304.
- Strengthened base intermediary shelf, removable and adjustable in height
- Sliding doors with immersed handles
- Adjustable stainless steel legs

	mm	kW	V	kg	m3
AR127V1/M	1200x700xh2000	-	-	148	2,19
AR167V1/M	1600x700xh2000	-	-	165	2,85
AR207V1/M	2000x700xh2000	-	-	182	3,52
ATG0136/M	• Lock for cupboard				

