

## TOP41NSX/M



-10° -25°



### Display negative temperature 410 lit.

- Interior and exterior manufactured in stainless steel AISI 304.
- Standard delivery: 5 grids (530x370 mm).
- Reversible doors (see kit), closing through magnetic door closing.
- Interior lighting (x2).
- Adjustable legs and uni-direction wheels.

mm	Watt	V	kg	m <sup>3</sup>
680x590xh1990	360	230/1	153	0,79

## TOP41PSX/M



+2° +10°



### Display positive temperature 400 lit.

- Interior and exterior manufactured in stainless steel.
- Standard delivery: 5 grids (530x350 mm).
- Reversible doors (see kit), closing through magnetic door closing.
- Interior lighting (x2).
- Adjustable legs and uni-direction wheels.

mm	Watt	V	kg	m <sup>3</sup>
670x662xh2005	420	230/1	162	1,1

## BABYGEL/48



### Ice cream conservative, 4-8 tastes "white"

- Capacity : 4 ice tray of 6,5 L, 5 L, 3 L or 8 ice tray of 2,5 L.
  - Structure made of ABS white, plexiglass lid.
  - Copper Evaporator.
  - Gas cooling R4040a.
  - Insulation without "CFC".
  - Maintenance and maintains easy.
- NB: delivered without ice tray.

mm	kW	V	kg	m <sup>3</sup>
925x505xh550	0,5	230/1	40	0,43

## GEL/48L



### Ice cream conservative, 4-8 tastes "white"

- Capacity : 4 ice tray of 6,5 L, 5 L, 3 L or 8 ice tray of 2,5 L.
  - Structure made of ABS white, plexiglass lid.
  - Copper Evaporator.
  - Gas cooling R4040a.
  - Insulation without "CFC".
  - Maintenance and maintains easy.
- NB: delivered without ice tray.

mm	kW	V	kg	m <sup>3</sup>
1255x525xh360	0,5	230/1	45	0,43

## CAB61NSX/D



### Deep freezer "ice cream" 600 lit.

- Interior and exterior manufactured in stainless steel AISI 441.
- Standard delivery: 5 grids (GN 2/1 530x650 mm).
- Possibility to stock 54 ice cream containers of 5 lit. (360x165xh120 mm).
- Submerged bottom, rounded corners and angles, condense evacuation.
- Pastry kit 600x400 mm optional.
- Adjustable legs.
- Reversible door.

mm	Watt	V	kg	m <sup>3</sup>
700x860xh1990	443	230/1	120	1,5

## BRIO ICE



### Display deep freezer

- For display of: ice cream, capacity 4 containers (360x165).
- Transparent sliding cover.
- Exterior manufactured in white plasticized steel plate.
- Isolation (70 mm) in polyurethane without CFK.
- Basin with rounded inner angles.
- "Serpentine" evaporator in copper placed inside the walls.
- Uni-direction wheels underneath.
- Ventilated condenser.

mm	Watt	V	kg	m <sup>3</sup>
780x640xh1185	150	230/1	68	0,58

## BIG-EXPO/LUX



### Display for ice cream 10 containers

- Straight glass panels
- Interior lighting
- Transparent sliding cover



	X	Z/T	W
- Display capacity :	10	10	14
- Capacity underneath	10	-	-
- Reserve:	12	6	10

mm	Watt	V	kg	m <sup>3</sup>
1341x725xh1235	290	230/1	100	1,1

## TOP7



### Display for ice cream 7 containers

- Straight glass panels
- Tilting door in Plexiglas - service side
- Interior lighting
- Control thermometer



	X	Z/T	W
- Display capacity:	7	7	7
- Capacity underneath	7	-	-
- Reserve:	12	6	14

mm	Watt	V	kg	m <sup>3</sup>
1367x690xh1175	480	230/1	99	1,2

## RUMBA 10 LUX



R404



### Display for ice cream 10 containers

- Tilting door in Plexiglas - service side
- Ice spoon rinsing basin
- Interior lighting
- Dismountable lateral walls
- Swivel castors



	X	Z/T	W
- Display capacity :	10	10	14
- Capacity underneath:	10	-	14
- Reserve	8	8	12

mm	Watt	V	kg	m <sup>3</sup>
1385x930xh1285	620	230/1	145	2,1

## RUMBA 13 LUX



R404



### Display for ice cream 13 containers

- Tilting door in Plexiglas - service side
- Interior lighting
- Dismountable lateral walls
- Swivel castors



	X	Z/T	W
- Display capacity:	13	13	20
- Capacity underneath:	13	-	20
- reserve:	16	16	24

mm	Watt	V	kg	m <sup>3</sup>
1775x930xh1285	660	230/1	185	2,6

## LIMITED 6RI



### Display for ice cream 6 containers

- Curved glass panel
- Interior lighting
- Swivel castors



	X	Z/T	W
- Display capacity :	6	6	10
- Capacity underneath:	6	-	-
- Reserve:	-	-	-

mm	Watt	V	kg	m <sup>3</sup>
1184x666xh1225	720	230/1	102	1,4

## LIMITED 9RI



### Display for ice cream 9 containers

- Curved glass panel
- Interior lighting
- Swivel castors



	X	Z/T	W
- Display capacity :	9	9	14
- Capacity underneath:	9	-	-
- Reserve:	-	-	-

mm	Watt	V	kg	m <sup>3</sup>
1659x666xh1225	840	230/1	127	1,08

## CARISMA 6+6



### Display for ice cream 6+6 containers

- Curved glass panel
- Interior lighting
- Swivel castors
- Colors to choice (cod. 09 ou cod. 39)

	X	Z/T	W
- Display capacity :	8	8	12
-- Capacity underneath:	8	-	-
- Reserve:	-	-	-

mm	Watt	V	kg	m <sup>3</sup>
1184x773xh1225	725	230/1	115	1,6

## CARISMA 7+7




### Display for ice cream 7+7 containers

- Curved glass panel
- Interior lighting
- Swivel castors
- Colors on choice (cod. 09 ou cod. 39)

	X	Z/T	W
- Display capacity :	10	10	14
- Capacity underneath:	10	-	-
- Reserve:	-	-	-

mm	Watt	V	kg	m <sup>3</sup>
1349x755xh1225	725	230/1	132	1,9



Cod. 38

Possibility to join pieces together, offering a gamut with infinite possibilities, the gamut Gran Gala can also be delivered without decorative panels, to leave open personalized (build-in opportunities...), in that case the price will be reduced with 20%.



- Frontal glass panels, tilting downwards, with anti-vapour system.
- Standard delivery of night curtain.
- Temperature indication at client's side.

**Gran Gala 12+12**

- 2 display zones, with separated thermostats.
- Delivered with 2 compressors, places on the outside.





- 4 swivel castors, 2 with brake



- Cone holder



- Ice spoon rinsing basin with tap and wafer holder



- Other colours optional : + 10%



Standard anti-vapour system for the frontal glass panels.



	mm	Cap	Watt	V	kg	m <sup>3</sup>
<b>GRAN GALA 12</b>	1202x1135xh1344	12	1430	230/1	265	2,45
<b>GRAN GALA 16</b>	1540x1135xh1344	16	1620	230/1	328	2,9
<b>GRAN GALA 18</b>	1705x1135xh1344	18	1650	230/1	364	3,4
<b>GRAN GALA 20</b>	1910x1135xh1344	20	2180	230/1	399	3,7
<b>GRAN GALA 24</b>	2240x1135xh1344	24	1590	400/3	475	4,3
<b>GRAN GALA 12+12</b>	2240x1135xh1344	12+12	2x1430	230/1	490	4,3

- Delivered without containers