

Easy assembly, Easy transport and space saving for storage. Ideal for rooms with difficult access, ready for assembly, with assembly plan. Robust for intensive and professional use. Work tables - Manufactured in stainless steel 18/10 AISI 304/441. - Work top strengthened and soundproof. - Strengthened base shelf underneath - Structure can be dismantled - Adjustable stainless steel legs Sinks - Manufactured in stainless steel 18/10 AISI 304/441 of 12/10 mm - Submerged top and back border of 85 mm - Soundproof exterior bottom - Structure can be dismantled - Outlet valve and tube, adjustable stainless steel legs



#### Work tables

- Manufactured in stainless steel 18/10 AISI 304/441.
- Work top strengthened and soundproof.
- Strengthened base shelf underneath
- Welded structure
- Adjustable stainless steel legs

# 600 mm

		mm	kW	٧	kg	m3
	TL660	600x600xh850/870			24	0,38
	TL860	800x600xh850/870	-		28	0,49
	TL1060	1000x600xh850/870			30	0,59
	TL1260	1200x600xh850/870	-		33	0,73
	TL1460	1400x600xh850/870		-	36	0,85
	TL1660	1600x600xh850/870		-	40	0,97
	TL1860	1800x600xh850/870	-	7	43	1,08
	TL2060	2000x600xh850/870	· ·	/-	46	1,20
	TL2260*	2200x600xh850/870	-/		51	1,32
	TL2460*	2400x600xh850/870	4		55	1,43

		mm	kW	٧	kg	m3
					- Ng	1110
	TL661	600x600xh850/870	-	-	28	0,38
	TL861	800x600xh850/870	-	-	32	0,49
	TL1061	1000x600xh850/870	-		35	0,59
	TL1261	1200x600xh850/870	-		37	0,73
	TL1461	1400x600xh850/870	-		41	0,85
	TL1661	1600x600xh850/870	-		44	0,97
	TL1861	1800x600xh850/870	-		46	1,08
	TL2061	2000x600xh850/870	-	-	50	1,20
	TL2261*	2200x600xh850/870			56	1,32
	TL2461*	2400x600xh850/870			60	1,43

#### Work tables

- Manufactured in stainless steel 18/10 AISI 304/441.
- Work top strengthened and soundproof.
- Strengthened base shelf underneath
- Welded structure
- Adjustable stainless steel legs



	mm	kW	٧	kg	m3
TL670	600x700xh850/870			27	0,43
TL870	800x700xh850/870	- /	/-	30	0,57
TL1070	1000x700xh850/870	-//		33	0,70
TL1270	1200x700xh850/870	1		36	0,84
TL1470	1400x700xh850/870	-		40	0,98
TL1670	1600x700xh850/870			44	1,11
TL1870	1800x700xh850/870			47	1,25
TL2070	2000x700xh850/870	-		51	1,39
TL2270*	2200x700xh850/870			56	1,52
TL2470*	2400x700xh850/870	-	-	62	1,66

		mm	kW	٧	kg	m3
,"	TL671	600x700xh850/870		12	31	0,43
	TL871	800x700xh850/870		-	34	0,57
	TL1071	1000x700xh850/870			37	0,70
	TL1271	1200x700xh850/870	-	-	40	0,84
	TL1471	1400x700xh850/870			44	0,98
	TL1671	1600x700xh850/870	-		48	1,11
	TL1871	1800x700xh850/870	-		52	1,25
	TL2071	2000x700xh850/870	-	ō	56	1,39
	TL2271*	2200x700xh850/870	12		62	1,52
	TL2471*	2400x700xh850/870		-	68	1,66



#### Cleaning and sorting tables

- Manufactured in stainless steel 18/10 AISI 304/441.
- Work top strengthened and soundproof.
- Opening for waste with PVC protection
- Welded structure
- Adjustable stainless steel legs

# 700 mm

		mm	kW	٧	kg	m3
	TS1070	1000x700xh850/870	- 1		33	0,70
•	TS1270	1200x700xh850/870	-	1	36	0,84
	TS1470	1400x700xh850/870		7	40	0,98
k	TS1670	1600x700xh850/870	-	-	44	1,11
- ·	TS1870	1800x700xh850/870	-	-	47	1,25
	TS2070	2000x700xh850/870	-	-	51	1,39





#### RA10

Wheel Ø 100 with brake





#### RS10

Wheel Ø 100 without brake



#### RA10-X

Wheel in stainless steel Ø 100 with brake



#### RS10-X

Wheel in stainless steel Ø 100 without brake



## Wall shelfs

- Manufactured in stainless steel 18/10 AISI 304/441.
- Fixed or adjustable console



# Storage shelfs 4 levels

- Manufactured in stainless steel 18/10 AISI 304/441.
- Adjustable stainless steel legs
- Strengthened shelfs
- Welded structure



## "Chef" shelf

- Manufactured in stainless steel 18/10 AISI 304/441.
- Strengthened shelfs
- Welded structure

### **RC Version:**

- Heating through electric resistances
- Regulation through thermostat