

ENOTEC 340 (1TV)



1TV



3TV

Display wine cellar 3 window sides

- Delivery with: 3 special wine grids (526x450 mm).
- Capacity : 340 lit 102 bottles = 75 cl. Ø 75 mm.
- Frame in anodised aluminium "gilded".
- Swivel castors.

mm	Watt	V	kg	m³
594x615xh1810	600	230/1	118	1

ENOTEC 340 (3TV)

Version : 3 temperatures.

ENOTEC 680 (1TV)



1TV



3TV

Display wine cellar 3 window sides

- 2 window-doors.
- Delivery with: 3 special wine grids (929x450 mm).
- Capacity : 680 lit. 180 bottles = 75 cl. Ø 75 mm.
- Frame in anodised aluminium "gilded".
- Swivel castors.

mm	Watt	V	kg	m³
1000x615xh1810	700	230/1	160	1,6

ENOTEC 680 (3TV)

Version : 3 temperatures.

CV/102P



+8° +20°



Wine cellar 372 lit.

- Interior manufactured in ABS, exterior in wood.
- Standard delivery: 6 grids (498x380 mm) en wood.
- Capacity : 90 bottles (0,75 lit).
- Reversible doors, closing through magnetic door closing.
- Adjustable legs underneath.

mm	Watt	V	kg	m³
651x627xh1841	180	230/1	110	1,1

ENOCLIMA 370 (1TV)



(1TV)

(2TV)

+6° +18°

+9° +18°

+6° +9°



Wine cellar

- Frame in massive wood.
- Delivery with: 3 crystal levels (360x670 mm).
- Capacity : 370 lit.84 bottles = 75 cl. Ø 90 mm.

mm	Watt	V	kg	m³
723x550xh1598	600	230/1	109	1,1

ENOCLIMA 370 (2TV)

Version : 2 temperatures.

ENOCLIMA 500 (1TV)



1TV

2TV

+6° +18°

+9° +18°

+6° +9°



Wine cellar

- Frame in massive wood.
- Delivery with: 4 crystal levels (360x670 mm).
- Capacity : 500 lit. 112 bottles = 75 cl. Ø 90 mm.

mm	Watt	V	kg	m³
723x550xh1955	600	230/1	128	1,3

ENOCLIMA 500 (2TV)

Version : 2 temperatures.

WINE-P38/T



Wine cellar 380 lit.

- Interior manufactured in ABS, exterior in "brown" varnished steel.
- Analogous temperature for temperature indication.
- Standard delivery: 5 grids 510x410 mm (in meranty).
- Capacity : +/- 120 bottles.
- Filled door reversible.
- Adjustable legs underneath.

mm	KW	V	kg	m³
595x595xh1940	0,18	230/1	81	0,95

G3T/T

Complementary grid

WINE-GL38/T



Wine cellar 350 lit.

- Interior manufactured in ABS, exterior in "brown" plastic coated steel.
- Analogous temperature for temperature indication.
- Standard delivery: 5 grids 515x345 mm.
- Capacity : +/- 90 bottles.
- Glass door reversible with incorporated door handle.
- Adjustable legs underneath.

mm	KW	V	kg	m³
595x595xh1940	0,18	230/1	86	0,95

G3T/T

Complementary grid

ENOPRESTIGE 4TV-1TV



+16°

+10°

+7°

+5°

+5° +16°



Wine cellar

- Frame in massive wood (dark walnut code 4).
- Delivery with: 4 special wine grids 765x300 mm.
- Capacity : 400 lit. 116 bottles = 75 cl. Ø 75mm.

mm	Watt	V	kg	m³
827x470xh1930	650	230/1	120	1,2

BODEGA 400 4TV 1TV



+16°

+10°

+7°

+5°

+5° +16°



Wine cellar

- Frame in massive wood (dark walnut code 4).
- Delivery with: 4 special wine grids 513x364 mm.
- Capacity : 340 lit. 96 bottles = 75 cl. Ø 75 mm.

mm	Watt	V	kg	m³
574x608xh1987	600	230/1	115	1,2

BODEGA 800 4TV 1TV



+16°

+10°

+7°

+5°

+5° +16°



Wine cellar

- Frame in massive wood (dark walnut code 4).
- Delivery with: 4 special wine grids 1027x364 mm.
- Capacity : 680 lit. 208 bottles = 75 cl. Ø 75 mm.

mm	Watt	V	kg	m³
1090x608xh1987	700	230/1	175	2